

A further addition to the Regent/ Viceroy family of Call Connect Systems



The Kinsman will operate in the range between Viceroy and Regent.



Neatly packaged electronics in a small wall-mounted cabinet will drive a fully featured, attractively styled operator console with complete call status information display

capacity

Kinsman is offered in 2 sizes. 6 exchange lines and 32 extensions – 10 exchange lines and 48 extensions. The capacity of both can be increased, see technical summary.

Facilities

1. 5

5

5

Call-back on busy automatically completes internal calls as soon as the called party becomes free.

Call diversion – of all calls or on 'busy.'

Direct extension selection – extension users on 'named' pushbuttons can be called from the console.

Discriminatory call barring.

Enquiry call and automatic transfer.

Extension Hunting.

Flexible night service.

Group pick-up.

Night service dial answer.

Three-party connection.

Uses MF or rotary dial telephones.

Wait on busy.

Console Display

The console displays are provided to keep you informed of the current state of all calls within the system. The displays are divided into six parts, the Line Status, Call Status, System Status, Extension Status, Alarm and Time Display

Console Keys

The console keys allow a call to be originated, answered and a number of special functions to be performed with utmost simplicity A visual display (LED) is associated with each key to clearly show its status throughout the progress of a call.



**Operators Console Facilities** 

A wide range of facilities have been designed to help the operator. Among those offered are:

Alarm indication Hold/retrieve

Call block Extension metering and display

Call queuing Message waiting
Digital clock Night service
Diversion control Paging access

Extension status Selective answering

## Benefits

Compact electronic stored programme control PABX.

Simultaneous use of standard rotary dial, SC or MF press-

button telephones.

Calling and called number display

Message waiting indication.

Busy lamp field.

Low power consumption.

Wide range of operating features.

As with the Viceroy and Regent Call Connect Systems, Kinsman system design will allow incorporation of many more features and facilities in the future, including Hotel/ Motel requirements.

## Maintenance

The Kinsman finds its own faults and then displays the details on the console to assist our engineers to clear them easily and promptly

Isn't it time that you installed Kinsman in your business?

## Technical summary

Maximum Capacities 8 exchange lines/private circuits

and 32 extensions.

12 exchange lines/private circuits

and 48 extensions.

Extension Telephones Standard rotary dial, SC or

MF press-button telephones

in any mix.

Power Primary power 240V

Power consumption. typical 200 watts.

Console 160 mm high

235 mm deep 430 mm wide

Equipment Cabinet for wall mounting

566 mm high 168 mm deep 404 mm wide

Total weight of fully equipped system is approx 13.2 kg.



The Kinsman Call Connect System is being introduced in certain areas, your local Telephone Sales Office will gladly supply any further information or details of any changes in the information in this leaflet since it went to press. The address, telex and telephone numbers are shown in the preface of your Telephone Directory

Please note: we do our best to supply our customers with the apparatus they ask for but we may have to provide apparatus which does not accord exactly with the descriptions, illustrations and shades of colour shown in this leaflet.

Kinsman is a trademark of British Telecom

